

2008

SMOKERCRAFT



# FISHING BOATS



## CONTENTS

- 02 **FEATURES - CONSTRUCTION**
- 04 **MILLENTIA**
- 06 **ULTIMA**
- 08 **PRO MAG**
- 10 **PRO ANGLER**
- 12 **BASS BOATS**
- 14 **BASS AND BAY AND CRAPPIE BOATS**
- 16 **RESORTER - PRO MAG - BIG FISHERMAN**
- 18 **UTILITIES - JONS**
- 20 **STANDARDS - OPTIONS**


**LIFETIME WARRANTY**  
 ON ALL RIVETED SEAMS

### WARRANTY

Smoker Craft warrants each new aluminum hull for a period of ten (10) years, lifetime warranty on all riveted seams from the date of purchase by the original purchaser (based on years of use under normal recommended operating conditions) as described in the warranty folder. A copy of the Smoker Craft Limited Warranty is attached to each new Smoker Craft boat or may be obtained from any dealer or the Smoker Craft factory.

## A COMMITMENT TO QUALITY. FROM OUR FAMILY TO YOURS.

When you get a Smoker Craft, you can be sure you're getting a well-designed boat that's built with outstanding materials and state-of-the-art production. Whether it's our quick planing performance, large open bows, smoother ride or industry-leading warranties — you can see here just how it's done. Because to us, there's no mystery to building great boats. It's the sum of every superior detail.



### CONSTRUCTION FEATURES

#### 1. CARPET

Your whole family can rely on the durability of our premium grade, 100% UV stabilized marine carpet, with a 5-year warranty.

#### 2. XL PLYWOOD FLOORS

Our floors carry a lifetime warranty, thanks to our specially treated XL plywood that's guaranteed not to warp or rot.

#### 3. URETHANE FOAM


One step aboard, and you'll notice the strength and solid support of the floor. That's because we fill every cavity with gasoline-resistant urethane foam to eliminate water pockets and give your boat maximum buoyancy and a quieter ride.

#### 4. RIB SYSTEM

Peel back the layers, and you'll see our recipe for a stronger boat. It includes a .125 one-piece bottom, with .125 gauge hand-fitted ribs on 10" centers — the type of construction you'll find on many of our boats. Combine this lateral strength with five keels running longitudinally, and you get superior impact resistance and improved lift, handling, bottom support and protection.

#### 5. 5-KEEL CONSTRUCTION

Once you've experienced the unmatched stability and handling of five external keels, you'll know why they're so important. The keels also protect your boat from objects beneath the surface, as well as from the wear-and-tear of trailering.



#### RAKED BACK BOW

This innovative bow design features an integrated spray rail and gives you not only a smoother, drier ride — but also more room in the bow up above. The .125 one-piece bottom and double-riveted seams combine to give the bow its unmatched strength.



### ADVANCED INTEGRATED RIB SYSTEM

The choice is clear! Our exclusive Advanced Integrated Rib System utilizes hand-fitted, hat-shaped ribs for superior longitudinal strength and rigidity that simply outperform our competitors' double-plated aluminum.





### TWICE-BAKED URETHANE PAINT

To give your boat a tough, long-lasting finish, we utilize an in-house paint process that begins with a special aluminum grade primer to ensure proper bonding. We then bake two coats of urethane-based paint to the hull.


### THE FLOW RITE LIVEWELL SYSTEM

This clever design features a fill pump that draws in water, circulating it at the bottom of the tank. An air hole in the top of the fill pipe allows air to mix with the water, keeping fish healthy. The fill pump may be operated manually or on a timer with excess water draining out of an overflow. Plus, a separate recirculating pump works in a continuous loop to keep aerated water moving in the livewell. This is especially helpful when you're refueling or drifting through stagnant water. For easy cleaning, the livewell has a bottom drain, and the hose runs through the transom, not the floor.



### THE HYDRA-LIFT HULL

You'll have superior acceleration and control thanks to this exclusive specialized reverse chine design. It keeps the bow down as you accelerate, getting you out of the hole faster.



### FISHERMAN'S TOP, CURTAINS AND COVERS

To top it all off, we offer the Fisherman's Top and complete curtain package, on most models. The top, as well as the side, aft and walk-thru curtains, goes up quickly and easily, and the top comes with a boot for easy storage. The mooring cover is a perfect way to keep your boat clean and dry and ready to go.

FISHERMAN'S TOP



FISHERMAN'S TOP WITH AFT AND SIDE CURTAINS AND BOW COVER



MOORING COVER





**SMOKERCRAFT 2008**

# MILLENTIA



	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Fuel Capacity (Gal.)	Bottom Gauge	Side Gauge	Rib Gauge
<b>192 MILLENTIA</b>	18' 10"	96"	38"	27"	96"	XLS	1575	8	1750	175	40	.125	.086	.125
<b>172 MILLENTIA</b>	17' 2"	91"	36"	26"	88"	LS	1325	5	1400	135	24	.100	.086	.100

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.





192 MILLENTIA

### DRIVER'S CONSOLE



One word describes Millentia's console — easy. Gauges are easy to read. Switches and circuit breakers are easy to reach.

### FLIP-UP SEAT



The spacious stern casting deck quickly converts to comfortable passenger seating with convenient flip-up seats.




172 MILLENTIA

### SNAP-IN-CARPET



In the morning you've got a fishing boat with an easy-to-clean vinyl floor. Later, just snap in the premium grade carpet and you've got a family cruiser.

### ROD STORAGE



The Millentia holds an unbelievable eight rods with room left for removable tackle trays.

192 MILLENTIA



SMOKERCRAFT 2008

# ULTIMA



	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Fuel Capacity (Gal.)	Bottom Gauge	Side Gauge	Rib Gauge
<b>192 ULTIMA</b>	18' 10"	96"	38"	27"	96"	XLS	1575	8	1750	175	40	.125	.086	.125
<b>172 ULTIMA</b>	17' 2"	91"	36"	26"	88"	LS	1330	6	1425	135	24	.100	.086	.100

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.





192 ULTIMA



172 ULTIMA

### CONVERT-A-BOW




The versatile Ultima has a unique bow that houses a fishing seat or easily converts to a walk-in design with family-style seating.

### STERN SEATS



More seating is available in the stern with convenient flip-up seats that are roomy and comfortable.

### FLOOR STORAGE



Keep everything dry and safely out of the way with ample in-floor storage.

### REAR LIVEWELL



With large stern and bow livewells, the Ultima is ideal for all-day excursions.

# PRO MAG



	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Fuel Capacity (Gal.)	Bottom Gauge	Side Gauge	Rib Gauge
<b>182 PRO MAG</b>	18' 2"	96"	38"	27"	96"	XLS	1425	7	1425	150	31	.125	.086	.125
<b>162 PRO MAG</b>	16' 0"	87"	34"	23"	83"	LS	1020	5	1300	90	24	.100	.076	.125
<b>161 PRO MAG</b>	16' 0"	87"	34"	23"	83"	LS	960	5	1300	90	24	.100	.076	.125

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.





182 PRO MAG



162 PRO MAG



161 PRO MAG

### DRIVER'S CONSOLE




Gauges are easy to read and complement the modern look of the Pro Mag's console (182 only).

### SNAP-IN CARPET




Change the look and feel of your boat in minutes with optional snap-in marine carpet that fits easily over the durable vinyl flooring.

### ROD STORAGE



Now there's room for all your favorite rods with a large center storage box on the 182 model that holds as many as eight.

### LIVWELL



Pro Mag's livewell system keeps your catch fresh even on the longest days. (182 only).



SMOKERCRAFT 2008

# PRO ANGLER



	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Fuel Capacity (Gal.)	Bottom Gauge	Side Gauge	Rib Gauge
<b>172 PRO ANGLER</b>	16' 8"	92"	34"	24"	91"	LS	1225	5	1400	135	24	.100	.076	.100
<b>171 PRO ANGLER</b>	16' 8"	92"	34"	24"	91"	LS	1180	5	1400	135	24	.100	.070	.100
<b>162 PRO ANGLER</b>	16' 0"	81"	33"	25"	74"	LS	920	5	1200	60	16	.100	.064	.070
<b>161 PRO ANGLER</b>	16' 0"	81"	33"	25"	74"	LS	845	5	1200	60	16	.100	.064	.070

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.





172 PRO ANGLER

### DRIVER'S CONSOLE




An attractive, automotive-style console puts everything you need within easy reach so you can concentrate on driving.



171 PRO ANGLER

### ROD STORAGE



Keep the perfect rod close at hand with roomy rod storage boxes both port and starboard.



162 PRO ANGLER

### FISHING SEATS



Our specially designed fishing seats feature contoured bottoms for superior comfort and full plastic cores for lasting durability.



161 PRO ANGLER

### BOW LIVEWELL



Located in the bow, our livewell has a bottom drain and a hose that runs through the transom for easy cleaning.

**172 PRO ANGLER**



SMOKERCRAFT 2008

# BASS BOATS



	Length	Beam	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Fuel Capacity (Gal.)	Bottom Gauge	Side Gauge
171 PRO BASS	17' 10"	81"	18"	85"	LS	1075	4	1225	90	21	.100	.100
171 BASS	17' 10"	81"	17"	81"	LS	925	4	1225	75	21	.080	.080
171 CRAPPIE SC	17' 10"	81"	17"	81"	LS	825	4	1225	60	—	.080	.080
171 CRAPPIE	17' 10"	81"	17"	81"	LS	765	4	1225	50	—	.080	.080

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.





171 PRO BASS

### BOW STORAGE



The large in-floor bow storage keeps your gear tucked safely out of the way.



171 BASS

### LIVEWELL




Conveniently located behind the driver's bench, the aerated livewell is large enough for "the big one."



171 CRAPPIE SC  
(Shown with optional console)

### ROD STORAGE



Port-side rod storage keeps your favorite rods stowed safely. (171 Bass only).



# BASS AND BAY



	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Fuel Capacity (Gal.)	Bottom Gauge	Side Gauge
2072 CC	20' 2"	97"	28"	—	96"	LS	1225	8	1800	125	34	.125	.125
1866 CC	18' 0"	94"	26"	—	92"	LS	875	6	1400	80	18	.100	.100
1866 SC	18' 0"	94"	26"	—	92"	LS	875	6	1400	80	18	.100	.100
1660 SC	16' 0"	86"	23"	—	88"	LS	640	6	1350	65	18	.100	.100

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.





2072 CC BASS & BAY

### CENTER CONSOLE



Our unique center console gives you a great view while driving and plenty of room to maneuver on board.



1866 CC BASS & BAY

### LIVEWELL



Easily accessible and centrally located, the aerated livewell has plenty of room for a full day's catch.



1866 SC BASS & BAY

### BOW STORAGE



Keep life jackets and other gear stored neatly out of the way in this roomy bow storage area.



1660 SC BASS & BAY



# RESORTER



161 RESORTER



160 RESORTER



151 RESORTER




161 RESORTER

## DRIVER'S CONSOLE



Resorter's deluxe console features large gauges and a padded wheel. Add the optional windscreen to complete the sleek look.

## LIVEWELL



The aerated livewell is large enough for a full day's catch.

	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Fuel Capacity (Gal.)	Bottom Gauge	Side Gauge	Rib Gauge
<b>161 RESORTER</b>	16' 0"	81"	33"	25"	74"	LS	725	5	1250	60	•	.080	.064	.080
<b>160 RESORTER</b>	16' 0"	81"	33"	25"	74"	LS	700	5	1250	60	•	.080	.064	.080
<b>151 RESORTER</b>	15' 1"	75"	31"	23"	73"	LS	575	4	1000	50	•	.100	.064	.064

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.



# PRO MAG/BIG FISH



**168 PRO MAG**



168 PRO MAG



140 PRO MAG



16 BIG FISHERMAN



14 BIG FISHERMAN

## ROD STORAGE



Keep all your equipment safely stowed and well organized in this roomy rod storage area. (Pro Mag only).

## LIVEWELL




The convenient port-side livewell keeps your catch fresh and keeps floor space open for greater maneuverability.

	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Fuel Capacity (Gal.)	Bottom Gauge	Side Gauge	Rib Gauge
<b>168 PRO MAG</b>	16' 10"	69"	33"	22"	59"	LS	555	5	1100	40	•	.064	.060	.064
<b>140 PRO MAG</b>	14' 5"	67"	30"	19"	59"	LS/SS	475	4	975	35	•	.064	.060	.064
<b>16 BIG FISHERMAN</b>	16' 5"	70"	31"	22"	63"	LS	460	5	1100	40	•	.064	.060	.064
<b>14 BIG FISHERMAN</b>	14' 2"	68"	30"	22"	60"	LS/SS	395	4	1100	35	•	.064	.060	.064

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.




# UTILITIES/JONS




157 SUPER FISHERMAN




12 ALASKAN



15 ALASKAN DELUXE




14 CANADIAN




15 ALASKAN




12 CANADIAN



13 ALASKAN DELUXE



14 VOYAGER



12 ALASKAN DELUXE



1660 SPORTSMAN






1648



1436



1432



1644



1232

	Length	Beam	Depth	Interior Depth	Transom Width	Transom Height	Dry Weight (Lbs.)	Maximum Persons	Maximum Cap. (Lbs.)	Maximum H.P.	Bottom Gauge	Side Gauge	Rib Gauge
<b>157 SUPER FISHERMAN</b>	15' 5"	72"	32"	32"	61"	LS	290	4	1100	25	.070	.060	.064
<b>15/15 DLX ALASKAN</b>	14' 11"	68"	27"	21"	59"	LS/SS	270	4	850	35	.064	.060	.064
<b>13 DLX ALASKAN</b>	12' 11"	66"	26"	20"	56"	LS/SS	225	4	700	25	.064	.060	.064
<b>12/12 DLX ALASKAN</b>	11' 10"	63"	24"	19"	56"	LS/SS	185	3	700	15	.064	.060	.064
<b>14 CANADIAN</b>	13' 10"	59"	20"	20"	50"	SS	130	4	700	15	.050	.050	.050
<b>12 CANADIAN</b>	11' 9"	56"	20"	20"	50"	SS	112	3	600	10	.050	.050	.050
<b>14 VOYAGER</b>	14' 2"	68"	30"	30"	60"	LS/SS	230	5	1000	35	.064	.060	.064
<b>1860 SPORTS MAN</b>	18' 0"	86"	23"	21"	88"	LS	700	6	1400	80	.100	.100	*
<b>1660 SPORTS MAN</b>	16' 0"	86"	23"	21"	88"	LS	640	6	1350	65	.100	.100	*
<b>1648 JON BOAT</b>	16' 0"	72"	22"	22"	71"	LS/SS	295	4	900	35	.072	.072	.072
<b>1644 JON BOAT</b>	16' 0"	63"	22"	22"	68"	LS	300	4	900	35	.072	.072	.072
<b>1448 JON BOAT</b>													
<b>1436 JON BOAT</b>	14' 0"	57"	18"	18"	56"	SS	185	3	650	20	.064	.064	.064
<b>1432 JON BOAT</b>	14' 0"	51"	16"	16"	50"	SS	140	2	390	7	.050	.050	.050
<b>1232 JON BOAT</b>	12' 0"	51"	16"	16"	50"	SS	120	2	390	6	.050	.050	.050
<b>1032 JON BOAT</b>	10' 0"	51"	16"	16"	50"	SS	100	2	290	3	.050	.050	.050





# STANDARDS & OPTIONS

192 MILLENTIA	172 MILLENTIA	192 ULTIMA	172 ULTIMA	182 PRO MAG	162 PRO MAG	161 PRO MAG	172 PRO ANGLER	171 PRO ANGLER	162 PRO ANGLER	161 PRO ANGLER	171 PRO BASS	171 BASS	171 CRAPPIE SC/TL	2072 CC BASS & BAY	1866 CC BASS & BAY
---------------	---------------	------------	------------	-------------	-------------	-------------	----------------	----------------	----------------	----------------	--------------	----------	-------------------	--------------------	--------------------

## SPECIFICATIONS

Length	18' 10"	17' 2"	18' 10"	17' 2"	18' 2"	16' 0"	16' 0"	16' 8"	16' 8"	16' 0"	16' 0"	17' 10"	17' 10"	17' 10"	20' 2"	18' 0"
Beam	96"	91"	96"	91"	96"	87"	87"	92"	92"	81"	81"	81"	81"	81"	97"	94"
Depth	38"	36"	38"	36"	38"	34"	34"	34"	34"	33"	33"	—	—	—	28"	26"
Interior Depth	27"	26"	27"	26"	27"	23"	23"	24"	24"	25"	25"	18"	17"	17"	—	—
Transom Width	96"	88"	96"	88"	96"	83"	83"	91"	91"	74"	74"	85"	81"	81"	96"	92"
Transom Height	XLS	LS	XLS	LS	XLS	LS	LS	LS	LS	LS	LS	LS	LS	LS	LS	LS
Dry Weight (Lbs.)	1575	1325	1575	1330	1425	1020	960	1225	1180	920	845	1075	925	825/765	1225	875
Maximum Persons	8	5	8	6	7	5	5	5	5	5	5	4	4	4	8	6
Maximum Capacity (Lbs.)	1750	1400	1750	1425	1425	1300	1300	1400	1400	1200	1200	1225	1225	1225	1800	1400
Maximum H.P.	175	135	175	135	150	90	90	135	135	60	60	90	75	60/50	125	80
Fuel Capacity (Gal.)	40	24	40	24	31	24	24	24	24	16	16	21	21	—	34	18
Bottom Gauge	0.125	0.100	0.125	0.100	0.125	0.100	0.100	0.100	0.100	0.100	0.100	0.100	0.080	0.080	0.125	0.100
Side Gauge	0.086	0.086	0.086	0.086	0.086	0.076	0.076	0.076	0.076	0.064	0.064	0.100	0.080	0.080	0.125	0.100
Rib Gauge	0.125	0.100	0.125	0.100	0.125	0.125	0.125	0.100	0.100	0.070	0.070	—	—	—	—	—

## COLORS

Black	S	S	•	•	S	S	S	•	•	•	•	S	S	S	•	•
Blue	•	S	S	S	•	•	•	S	S	S	S	•	•	•	•	•
Charcoal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Gray	•	•	•	•	•	•	•	•	•	•	•	•	•	•	S	•
Burgundy	•	•	S	S	•	•	•	•	•	•	•	S	S	•	•	•
Red	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	S

## HULL

Semi-V Hull	•	•	•	•	•	•	•	•	•	S	S	•	•	•	S	S
Hydra-Lift Rolled V-Hull	S	S	S	S	S	S	S	S	S	•	•	•	•	•	•	•
Keels	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(3)	(3)	•	•	•	(3)	(3)

## FLOOR / CARPET

Treated Floor with Lifetime Warranty	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
5-Year Carpet Warranty	S	S	S	S	S	S	S	S	S	S	S	S	S	•	•	•
Vinyl Floor Covering	S	S	S	S	S	S	S	S	S	S	S	•	•	S	S	S
Snap-In Carpet	S	S	S	S	O	O	O	O	O	O	O	•	•	•	•	•

## WINDSHIELD

Curved Walk-Thru Windshield	S	S	S	S	S	S	•	S	•	S	•	•	•	•	•	•
Windscreen	•	•	•	•	•	•	S	•	O	•	O	S	S	•	S	S

## CONSOLE / DASH

Tachometer	S	S	S	S	S	S	S	S	S	S	S	S	S	•	S	S
Speedometer	S	S	S	S	S	S	S	S	S	S	S	S	S	•	•	•
Volt Meter	S	S	S	S	S	S	S	•	•	•	•	S	S	•	•	•
Fuel Gauge	S	S	S	S	S	S	S	S	S	S	S	S	S	•	S	S
Lighted Compass	S	S	S	S	S	•	•	•	•	•	•	•	•	•	•	•
Horn	S	S	S	S	S	S	S	S	S	S	S	•	•	•	•	•
Circuit Breakers	S	S	S	S	S	S	S	S	S	S	S	S	S	•	S	S
Starboard Console	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

## STEREO

AM/FM Stereo																
w/Auxiliary Port for MP3 Player	S	S	S	S	O	O	O	O	O	O	O	•	•	•	•	•

## LIVEWELL

Stern Livewell (Gal.)	(23)	(21)	(23)	(23)	(26)	(18)	(18)	•	•	•	•	(25)	(25)	•	•	•
	LART	LART	LA	LA	A	A	A					A	A			
Bow Livewell (Gal.)	(12)	(12)	(12)	(12)	(18)	(25)	(25)	(25)	(25)	(25)	(25)	•	•	•	•	•
	LA	LA	LA	LA	A	A	A	A	A	A	A					
Port Livewell (Gal.)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Center Livewell (Gal.)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	S	S
Baitwell w/ Bucket	•	•	•	•	•	•	•	•	•	•	•	S	•	•	•	•

## TROLLING MOTOR

Trolling Motor Panel	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
----------------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---





192 MILLENTIA 172 MILLENTIA 192 ULTIMA 172 ULTIMA 182 PRO MAG 162 PRO MAG 161 PRO MAG 172 PRO ANGLER 171 PRO ANGLER 162 PRO ANGLER 161 PRO ANGLER 171 PRO BASS 171 BASS 171 CRAPPIE SC/TL 2072 CC BASS & BAY 1866 CC BASS & BAY

**TROLLING MOTOR (continued)**

Trolling Motor Plug	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Motor Tilt Switch	S	S	•	•	S	•	•	•	•	•	•	S	•	•	•	•
(4) 4-1/2" Cleats	•	•	•	•	•	•	•	•	•	S	S	S	S	S	•	•
(4) 6" Cleats	•	•	•	•	S	S	S	S	S	•	•	•	•	•	S	S
(4) 6" Pull-Up Cleats	S	S	S	S	•	•	•	•	•	•	•	•	•	•	•	•

**LIGHTS**

Navigation Lights	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
-------------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

**SEATING**

Movable Pedestal	•	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	•	•	•
Stationary Pedestal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Movable Helm Pedestal with Slider	S	S	S	S	S	S	S	S	S	S	S	S	•	•	•	•
Movable Helm Pedestal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
(2) Movable Hydraulic Pedestals	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Rear Fold Down Seats	S	S	S	S	•	•	•	•	•	•	•	•	•	•	•	•
Bow Backrest with Cushions	•	•	S	S	•	•	•	•	•	•	•	•	•	•	•	•
Seat Bases	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(5)	(5)	(2)	(2)	•	(1)	(1)
Bass Seats	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(2)	(2)	•	•	•
Additional Bass Seat	O	O	O	O	O	O	O	O	O	O	O	•	•	•	O	O
Stem (Hydraulic)	O	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Aluminum Bench Seats	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

**STORAGE**

Bow Center Rod Storage	S	S	•	•	S	•	•	•	•	•	•	S	•	•	•	•
Port Rod Storage	S	S	S	S	S	S	S	S	S	S	S	•	S	•	S	S
Starboard Rod Storage	•	S	S	•	•	S	S	•	•	•	•	•	•	•	S	S
Starboard Side Storage	S	S	•	•	S	•	•	S	S	S	S	•	•	•	•	•
Console Storage	S	S	S	S	S	•	•	•	•	•	•	•	•	•	•	•
Rod Holders	•	•	•	•	•	•	•	•	•	S	S	•	•	•	S	S
Bow Storage	S	S	S	S	S	S	S	S	S	S	S	S	S	•	S	S
Stern Storage	S	S	S	S	S	S	S	•	•	•	•	•	•	•	•	•
In-Floor Storage	•	•	S	S	•	•	•	•	•	•	•	•	•	•	•	•

**MISCELLANEOUS**

Bow & Stern Castings with Handles	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Oar Locks	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Nonskid Interior	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Lockable Glove Box	S	S	S	S	S	S	•	•	•	•	•	•	•	•	•	•
Glove Box	•	•	•	•	•	•	•	S	•	S	•	•	•	•	•	•
Toe Kicks	S	S	S	S	S	S	S	•	•	•	•	•	•	•	•	•
Reinforced for Downriggers	S	S	S	S	S	•	•	•	•	•	•	•	•	•	•	•
Bilge Pump	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Swim Platform	•	•	O	O	•	•	•	•	•	•	•	•	•	•	•	•
Ski Tow	•	•	O	O	•	•	•	•	•	•	•	•	•	•	•	•
Dual Steering	•	O	•	O	•	•	•	•	•	•	•	•	•	•	•	•
Hydraulic Steering	S	•	S	•	S	•	•	•	•	•	•	•	•	•	•	•
Tilt Steering	S	S	S	S	S	•	•	•	•	•	•	•	•	•	S	S
Stainless Steel Bow Rail	•	•	S	S	•	•	•	•	•	•	•	•	•	•	•	•
Twice Baked Urethane Paint	S	S	S	S	S	S	S	S	S	S	S	•	•	•	•	•
Cup Holders	S	S	S	S	S	S	S	S	S	S	S	•	•	•	•	•

**BATTERY / ACCESS**

Access Plate	(8")	(8")	(8")	(8")	(8")	(8")	(8")	(8")	(8")	(6")	(6")	•	•	•	•	•
Battery Charger	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Battery Compartments	(3)	(3)	(3)	(3)	(3)	(2)	(2)	(2)	(2)	•	•	(3)	•	•	•	•

**CANVAS**

Fisherman's Top	S	O	S	O	O	O	•	O	•	O	•	•	•	•	•	•
Side Curtains	O	O	O	O	O	O	•	O	•	O	•	•	•	•	•	•
Aft Curtains	O	O	O	O	O	O	•	O	•	O	•	•	•	•	•	•
Walk-Thru Curtains	O	O	O	O	O	O	•	O	•	O	•	•	•	•	•	•
Bow Cover	O	O	O	O	O	O	•	O	•	O	•	•	•	•	•	•
Mooring Cover	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O





# STANDARDS & OPTIONS

1866 SC BASS & BAY

1660 SC BASS & BAY

161 RESORTER

160 RESORTER

151 RESORTER

168 PRO MAG

140 PRO MAG

16 BIG FISHERMAN

14 BIG FISHERMAN

157 SUPER FISHERMAN

15/15 ALASKAN DLX

13 ALASKAN DLX

12/12 ALASKAN DLX

14 VOYAGER

14 CANADIAN

12 CANADIAN

## SPECIFICATIONS

Length	18' 0"	16' 0"	16' 10"	16' 0"	15' 1"	16' 10"	14' 5"	16' 5"	14' 2"	15' 5"	14' 11"	12' 11"	11' 11"	14' 2"	13' 10"	11' 9"
Beam	94"	86"	81"	81"	75"	69"	67"	70"	68"	72"	68"	66"	63"	68"	59"	56"
Depth	26"	23"	33"	33"	31"	33"	30"	31"	30"	32"	27"	26"	24"	30"	20"	20"
Interior Depth	—	—	25"	25"	25"	22"	19"	22"	22"	32"	21"	20"	19"	30"	20"	20"
Transom Width	92"	88"	74"	74"	73"	59"	59"	63"	60"	61"	59"	56"	56"	60"	50"	50"
Transom Height	LS	LS	LS	LS	LS	LS	LS/SS	LS	LS/SS	LS	LS/SS	LS/SS	LS/SS	LS/SS	SS	SS
Dry Weight (Lbs.)	875	640	725	700	575	555	475	460	395	290	270	225	185	230	130	112
Maximum Persons	6	6	5	5	4	5	4	5	4	4	4	4	3	5	4	3
Maximum Capacity (Lbs.)	1400	1350	1250	1250	1000	1100	975	1100	1100	1100	850	700	700	1000	700	600
Maximum H.P.	80	65	60	60	50	40	35	40	35	25	35	25	15	35	15	10
Fuel Capacity (Gal.)	18	18	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Bottom Gauge	0.100	0.100	0.080	0.080	0.100	0.064	0.064	0.064	0.064	0.070	0.064	0.064	0.064	0.064	0.050	0.050
Side Gauge	0.100	0.100	0.064	0.064	0.064	0.060	0.060	0.060	0.060	0.060	0.060	0.060	0.060	0.060	0.050	0.050
Rib Gauge	—	—	0.080	0.080	0.064	0.064	0.064	0.064	0.064	0.064	0.064	0.064	0.064	0.064	0.050	0.050

## COLORS

Black	•	•	•	•	•	•	•	S	S	•	•	•	•	•	•	•
Blue	•	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Charcoal	•	•	•	•	•	S	S	•	•	S	•	•	•	•	•	•
Gray	•	•	•	•	•	•	•	•	•	•	S	S	S	•	•	•
Burgundy	•	•	S	S	S	•	•	•	•	•	•	•	•	S	•	•
Red	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

## HULL

Semi-V Hull	S	S	S	S	S	•	•	•	•	•	•	•	•	•	•	•
Hydra-Lift Rolled V-Hull	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Keels	(3)	(3)	(3)	(3)	•	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	•	•

## FLOOR / CARPET

Treated Floor with Lifetime Warranty	S	S	S	S	•	S	S	S	S	•	S(DLX)	S	S(DLX)	•	•	•
5-Year Carpet Warranty	•	•	S	S	•	S	S	S	S	•	•	•	•	•	•	•
Vinyl Floor Covering	S	S	S	S	•	S	S	S	S	•	S(DLX)	S	S(DLX)	•	•	•
Snap-In Carpet	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

## WINDSHIELD

Curved Walk-Thru Windshield	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Windscreen	•	•	O	•	•	•	•	•	•	•	•	•	•	•	•	•

## CONSOLE / DASH

Tachometer	•	•	S	•	•	•	•	•	•	•	•	•	•	•	•	•
Speedometer	•	•	S	•	•	•	•	•	•	•	•	•	•	•	•	•
Volt Meter	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Fuel Gauge	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Lighted Compass	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Horn	•	•	S	•	•	•	•	•	•	•	•	•	•	•	•	•
Circuit Breakers	S	S	S	S	•	S	S	S	S	•	•	•	•	•	•	•
Starboard Console	•	•	•	•	•	•	•	O	O	O	•	•	•	•	•	•

## STEREO

AM/FM Stereo	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
w/Auxiliary Port for MP3 Player	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

## LIVEWELL

Stern Livewell (Gal.)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Bow Livewell (Gal.)	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Port Livewell (Gal.)	•	•	(21) A	(21) A	•	(21) A	(15) A	(25)	(21)	•	•	•	•	•	•	•
Center Livewell (Gal.)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Baitwell w/ Bucket	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	S

## TROLLING MOTOR

Trolling Motor Panel	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
----------------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---





# STANDARDS & OPTIONS

	1866 SC BASS & BAY	1660 SC BASS & BAY	161 RESORTER	160 RESORTER	151 RESORTER	168 PRO MAG	140 PRO MAG	16 BIG FISHERMAN	14 BIG FISHERMAN	157 SUPER FISHERMAN	15/15 ALASKAN DLX	13 ALASKAN DLX	12/12 ALASKAN DLX	14 VOYAGER	14 CANADIAN	12 CANADIAN
--	--------------------	--------------------	--------------	--------------	--------------	-------------	-------------	------------------	------------------	---------------------	-------------------	----------------	-------------------	------------	-------------	-------------

## TROLLING MOTOR (continued)

Trolling Motor Plug	S	S	S	S	•	S	S	S	S	•	•	•	•	•	•	•
Motor Tilt Switch	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
(4) 4-1/2" Cleats	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
(4) 6" Cleats	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•
(4) 6" Pull-Up Cleats	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

## LIGHTS

Navigation Lights	S	S	S	S	•	S	S	S	S	•	•	•	•	•	•	•
-------------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

## SEATING

Movable Pedestal	(2)	(2)	(1)	(1)	•	(1)	(1)	•	•	•	•	•	•	•	•	•
Stationary Pedestal	•	•	•	S	•	S	S	•	•	•	•	•	•	•	•	•
Movable Helm Pedestal with Slider	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Movable Helm Pedestal	•	•	S	•	•	•	•	•	•	•	•	•	•	•	•	•
(2) Movable Hydraulic Pedestals	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Rear Fold Down Seats	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Bow Backrest with Cushions	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Seat Bases	(4)	(4)	(4)	(4)	•	(2)	(2)	(2)	•	•	•	•	•	•	•	•
Bass Seats	(2)	(2)	(2)	(2)	•	(2)	(2)	•	•	•	•	•	•	•	•	•
Additional Bass Seat	O	O	O	O	•	O	O	O	•	•	•	•	•	•	•	•
Stem (Hydraulic)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Aluminum Bench Seats	•	•	•	•	•	•	•	•	•	(4)	•	•	(3)*	(3)	(3)	(3)

## STORAGE

Bow Center Rod Storage	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Port Rod Storage	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Starboard Rod Storage	S	S	•	•	•	S	S	•	•	•	•	•	•	•	•	•
Starboard Side Storage	•	•	•	•	•	•	•	S	S	•	•	•	•	•	•	•
Console Storage	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Rod Holders	S	S	•	•	•	•	•	S	S	•	S	S	•	•	•	•
Bow Storage	S	S	S	S	•	S	S	S	•	•	•	•	•	•	•	•
Stern Storage	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
In-Floor Storage	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

## MISCELLANEOUS

Bow & Stern Castings with Handles	•	•	•	•	•	•	•	•	•	S	S	S	S	S	S	S
Oar Locks	•	•	•	•	•	•	•	•	•	S	•	•	•	•	S	S
Nonskid Interior	•	•	•	•	•	•	•	•	•	S	S	S	S	•	S	S
Lockable Glove Box	•	•	•	•	•	S	S	•	•	•	•	•	•	•	•	•
Glove Box	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Toe Kicks	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Reinforced for Downriggers	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Bilge Pump	S	S	S	S	•	S	S	S	•	•	•	•	•	•	•	•
Swim Platform	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Ski Tow	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Dual Steering	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Hydraulic Steering	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Tilt Steering	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Stainless Steel Bow Rail	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Twice Baked Urethane Paint	•	•	S	S	•	•	•	•	•	•	•	•	•	•	•	•
Cup Holders	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

## BATTERY / ACCESS

Access Plate	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Battery Charger	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Battery Compartments	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

## CANVAS

Fisherman's Top	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Side Curtains	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Aft Curtains	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Walk-Thru Curtains	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Bow Cover	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Mooring Cover	•	•	O	O	•	O	O	O	O	O	O	O	O	O	•	•

\* Not available on DLX.

Standard | S      Option | O      Not Available | •



**SMOKERCRAFT**  
www.smokercraft.com



To talk to the dealer nearest you, dial 866 719-7873.  
Connects directly to dealer. Please call during business hours.

The specifications of any Smoker Craft boat are subject to change without notice. Printed 10/07 323-B-05

SMOKER CRAFT, INC.  
P.O. Box 65 • New Paris, IN 46553

SMOKER CRAFT, INC. WEST  
P.O. Box 219 • Stayton, OR 97383

SMOKER CRAFT, INC. SOUTH  
P.O. Box 1267 • LaGrange, GA 30241

SMOKER CRAFT, INC. NORTH  
P.O. Box 129 • Minong, WI 54859

